



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power**

**SECTION 1: IDENTIFICATION**

**Product Identifier:** Gringo Rasta Will Power

**Product Description:** Soluble vegetative fertilizer

**Manufacturer:** United Compost & Organics  
dba FoxFarm Soil & Fertilizer Company  
PO Box 787, Arcata, CA 95518  
1900 Bendixsen Street, Samoa, CA 95564  
foxfarm@foxfarm.com  
(800) 436-9327 or (707) 443-4369 for product information  
www.foxfarm.com

**Emergency Telephone Number:** (707) 443-4369, M-F 8:30am–5:00pm PST.

**SECTION 2: HAZARD(S) IDENTIFICATION**

**Classifications:**

- Flammability – n/a (intrinsically noncombustible)
- Health – Category 5 (irritation or minor reversible injury possible)
- Instability/Reactivity – n/a (stable)

**Pictograms:**

n/a

**Signal Word:**

Warning

**Hazard Statements:**

- H303 May be harmful if swallowed
- H315 May cause skin irritation
- H320 May cause eye irritation

**Precautionary Statements:**

- P102 Keep out of reach of children
- P261 Avoid breathing dust
- P262 Do not get in eyes, on skin, or on clothing
- P264 Wash skin thoroughly after handling
- P280 Wear protective gloves, eye protection, and face protection

**Storage:**

Avoid overheating or freezing.

**Disposal:**

Dispose of contents/containers in accordance with federal, state, and local regulations.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power****SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****Chemical Characterization:** Mixture**Description:** Mixture of substances listed below with nonhazardous additions

| Component               | CAS Number | %            |
|-------------------------|------------|--------------|
| Ammonium phosphate      | 7722-76-1  | Trade secret |
| Copper EDTA             | 14025-15-1 | Trade secret |
| Iron EDTA               | 17099-81-9 | Trade secret |
| Manganese EDTA          | 55448-20-9 | Trade secret |
| Monopotassium phosphate | 7778-77-0  | Trade secret |
| Potassium nitrate       | 7757-79-1  | Trade secret |
| Potassium sulfate       | 7778-80-5  | Trade secret |
| Urea                    | 57-13-6    | Trade secret |
| Zinc EDTA               | 14025-21-9 | Trade secret |

**SECTION 4: FIRST-AID MEASURES****Inhalation:**

If dust causes irritation or distress, remove to fresh air.

**Skin Contact:**

Thoroughly wash off skin with water. Wash contaminated clothing before re-use.

**Eye Contact:**

Immediately flush eyes with large amounts of water. Remove contact lenses.

**Ingestion:**

If swallowed, drink plenty of water. Do not induce vomiting. Call a Poison Center or consult a physician immediately.

**Notes to Physician:**

Symptoms: May cause irritation, redness, and/or burning to the eyes. Prolonged exposure to the eyes may cause conjunctivitis or serious eye damage. Dermal exposure may cause irritation, redness, and/or burning. Prolonged exposure to the skin may cause dermatitis. Ingestion may cause abdominal cramps, nausea, vomiting, and/or diarrhea. Inhalation may cause upper respiratory tract irritation.

**SECTION 5: FIRE-FIGHTING MEASURES****Suitable Extinguishing Media:**

Flooding quantities of water.



### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power**

**Specific Hazards During Fire Fighting:**

Thermal decomposition products include oxides of nitrogen, oxides of carbon, and ammonia. Toxic or corrosive gases may be produced in a fire.

**Special Protective Equipment for Fire Fighters:**

Full turn-out gear with self-contained breathing apparatus (SCBA).

**Further Information:**

Remain upwind of the fire. Avoid breathing dusts or fumes from burning material. Do not attempt to smother the fire with steam or sand. Water spray onto molten material may cause spattering.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:**

Avoid contact with skin and eyes. Avoid inhaling dust. Keep unprotected persons away.

**Protective Equipment:**

Wear gloves and face protection as necessary.

**Environmental Precautions:**

Avoid accidental discharge into the environment. After containment and cleanup, flush and dilute spilled area with water.

**Methods of Containment and Cleanup**

Use appropriate containment methods to prevent spreading. Use absorbent material and collect into an appropriate container. Dispose of contents and container in accordance with regulations. Flush spilled area with water. Spilled uncontaminated material may be applied to plants or land as a fertilizer according to package directions.

#### SECTION 7: HANDLING AND STORAGE

**Precautions for Safe Handling:**

Wear personal protective equipment as necessary. Emergency eye wash stations should be in the near proximity to operations presenting a potential eye exposure. Avoid skin exposure. Avoid breathing dust.

**Conditions for Safe Storage, Including Incompatibilities:**

Incompatible Materials: Strong acids or bases, halogens, chlorinated compounds, hydrogen peroxides.  
Store at ambient temperature in a dry location.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power****Further Information:**

Use good personal hygiene practices. After handling material wash hands before eating, drinking, smoking, or using toilet facilities. Keep away from foodstuffs and beverages.

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****Components with Occupational Exposure Limits** (lists that were valid at creation used as basis):

| Component              | CAS Number | Type        | Value                     |
|------------------------|------------|-------------|---------------------------|
| Copper EDTA            | 14025-15-1 | ACGIH – TWA | 1mg/m <sup>3</sup>        |
| Monoammonium phosphate |            | ACGIH – TLV | 5mg/m <sup>3</sup> (dust) |

**Personal Protective Equipment (PPE)****Engineering Measures:**

No further relevant information available.

**Eye Protection:**

Safety glasses or goggles are recommended where there is a possibility of exposure. Ensure that eyewash stations are close to the workstation.

**Hand Protection:**

To prevent skin contact wear gloves, such as those constructed of nitrile.

**Skin and Body Protection:**

Wear protective clothing to prevent skin contact. Promptly remove contaminated clothing and launder before re-use.

**Respiratory Protection:**

No special equipment required. Avoid breathing dust.

**General Protective and Hygienic Practices:**

Emergency eye wash capability should be available in the near proximity to operations presenting a potential eye exposure. Avoid repeated and/or prolonged skin exposure. Use good personal hygiene practices. After handling material wash hands before eating, drinking, smoking, or using toilet facilities. Keep away from foodstuffs and beverages.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****Appearance:** Brownish granular**Odor:****Odor Threshold:** Not determined

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power****pH:****Specific Gravity (Relative Density):****Solubility:** Soluble**Melting Point/Freezing Point:** Not determined.**Initial Boiling Point and Boiling Range:** Not determined.**Danger of Explosion:** Material does not present an explosion hazard.**Flammability:** Material is not flammable.**Flash Point:** n/a**Auto-Ignition Temperature:** Material is not self-igniting.**Decomposition Temperature:** Not determined.**Vapor Pressure:** Not determined.**Vapor Density:** Not determined.**Evaporation Rate:** Not determined.**Viscosity:** Not determined.**Partition Coefficient (n-octanol/water):** Not determined.**SECTION 10: STABILITY AND REACTIVITY****Reactivity:** No further relevant information.**Chemical Stability:** Material is stable under normal conditions and use.**Possibility of Hazardous Reactions:** No dangerous reactions known.**Hazardous Decomposition:** Oxides of nitrogen, oxides of carbon, oxides of phosphorus, oxides of potassium, ammonia.**Conditions to Avoid:** Extreme temperatures, open flames.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power**

**Incompatible Materials:** Combustible materials, reducing agents, organic materials, strong acids and bases, halogens, chlorinated compounds, hydrogen peroxides.

**SECTION 11: TOXICOLOGICAL INFORMATION****Acute Toxicity****Relevant Numerical Measure of Toxicity:**Copper EDTA: LD<sub>50</sub> (oral, rat) – 2,000mg/kg;Monoammonium phosphate: LD<sub>50</sub> (oral, rat) - >2,000mg/kg; LD<sub>50</sub> (dermal, rabbit) - >5,000mg/kgMonopotassium phosphate: LD<sub>50</sub> (oral, rat) – 7,100mg/kg; LD<sub>50</sub> (dermal, rabbit) - >7,940mg/kgPotassium nitrate: LD<sub>50</sub> (oral, rat) – 3,015mg/kg; LD<sub>50</sub> (dermal, rat) – >2,000mg/kg; LD<sub>50</sub> (inhalation, rat) – >0.527mg/L (4 hrs.)Urea: LD<sub>50</sub> (oral, rat) – 8,471mg/kg;**Likely Routes of Exposure:**

Eye contact, skin contact. Ingestion is not expected to be a likely route of exposure through normal product use.

**Immediate Exposure Effects:**

Eye contact: May cause irritation, redness, and/or burning.

Skin contact: May cause irritation, redness, and/or burning.

Inhalation: May cause upper respiratory irritation.

Ingestion: Harmful if swallowed. May cause stomach pain. May cause irritation to mouth, throat and stomach.

**Delayed Exposure Effects:**

No delayed or chronic effects from short- or long-term exposures are known.

**Symptoms of Exposure:**

Skin and/or Eye contact: May cause irritation, redness, and/or burning.

Inhalation: May cause upper respiratory irritation or pulmonary effects.

Ingestion: May cause irritation to mouth and throat. May cause stomach pain.

**Chronic Toxicity****Relevant Numerical Measure of Toxicity:**

No delayed or chronic effects from short- or long-term exposures are known.

**Likely Routes of Exposure:**

Eye contact, skin contact, inhalation. Ingestion is not expected to be a likely route of exposure through normal product use.

**Immediate Exposure Effects:**

Eye contact: May cause irritation, redness, and/or burning.

Skin contact: May cause irritation, redness, and/or burning.

Inhalation: May cause upper respiratory irritation.



### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power**

Ingestion: Harmful if swallowed. May cause stomach pain. May cause irritation to mouth, throat and stomach.

**Delayed Exposure Effects:**

Prolonged exposure at high concentrations may cause adverse reproductive effects (urea).

**Symptoms of Exposure:**

Skin and/or Eye contact: May cause irritation, redness, and/or burning.

Inhalation: May cause upper respiratory irritation or pulmonary effects.

Ingestion: May cause irritation to mouth and throat. May cause stomach pain.

**Carcinogenic Categories**

**IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

**NTP (National Toxicology Program):**

None of the ingredients are listed.

**ACGIH (American Conference of Governmental Industrial Hygienists)**

None of the ingredients are listed.

**OSHA (Occupational Health & Safety Administration):**

None of the ingredients are listed.

### SECTION 12: ECOLOGICAL INFORMATION

**General Notes:**

Keep out of sewers, drainage areas, and waterways. Report spills and releases, as applicable, under federal and state regulations. Large quantities of fertilizer released into the environment may kill aquatic plants and animals and cause algae blooms if bodies of water are contaminated.

### SECTION 13: DISPOSAL CONSIDERATIONS

**Disposal:**

Dispose of container and unused contents in accordance with federal, state and local requirements.

**Further Information:**

Do not dispose of in sewage system.

### SECTION 14: TRANSPORT INFORMATION

**General Notes:**



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

Printing Date: March 3, 2020

Revision Date: 12/1/2018

**Product Identifier: Gringo Rasta Will Power**

Not regulated for transport.

**SECTION 15: REGULATORY INFORMATION**

**OSHA Hazards**

Potassium sulfate, urea is hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

**TSCA (Toxic Substances Control Act)**

Monoammonium phosphate, monopotassium phosphate, potassium nitrate, potassium sulfate, urea are listed in the TSCA inventory.

**California Prop. 65**

None of the ingredients are listed.

**SARA Hazards**

This product contains substances considered, under applicable definitions, to meet the following categories: Fire hazard.

**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value Established by ACGIH)**

None of the ingredients are listed.

**NIOSH (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**SECTION 16: OTHER INFORMATION**

The information and recommendations provided in this Safety Data Sheet are accurate to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship.