## Cultivation SC Feedi

SOIL Feeding Schedule

Use your preferred FoxFarm potting soil when transplanting seedlings into larger containers. We recommend an eight litre size or larger. FOR BEST RESULTS: Feed up to two times per week. Maintain a pH of 5.6 to 6.8 to prevent nutrient lockout and reduce stress on plants. Never mix

pure concentrates together; always add water first. Should plants show signs of stress or color irregularities, flush your system. When using coco-based media, flush every 2 weeks during the flowering cycle as coco has a tendency to retain unwanted salt residue more than peat-based soils.

## **MILLILITRES/GRAMS PER LITRE OF WATER**

## FEED UP TO 2 TIMES PER WEEK

Time*	Week	Seedlings and Cuttings	1	2	3	4	Œ	5	6	7	Œ	8	9	10	œ	11	12
Light	Hours	Cuttings 18	18	18	18	18	Ē	12	12	12	Ē	12	12	12	Ē	12	12
Conductivity (							4		2.10-2.38		WAI			2.10-2.40	MA		1.70-1.96
CULTIVATION G	ROW	1 mL	1.5 mL	2.5 mL	2.5 mL	2.5 mL		2.5 mL	1 mL	1 mL	SH	1 mL			SH		
	<b>IICRO</b>			1 mL	1 mL	1 mL	RES	1 mL	1 mL	1 mL	RES	1 mL	1 mL	1 mL	RES		
CULTIVATION BI	LOOM					1 mL	H	1 mL	1 mL	2.5 mL	H	2.5 mL	2.5 mL	2.5 mL	H	2.5 mL	2.5 mL
Gringo Rasta™ (	Cal-Mag			0.5 mL	0.5 mL	1 mL	느	1 mL	1 mL	1 mL	E	1 mL	0.5 mL	0.5 mL	E		
Open Sesan	ne®					1 g	<b>≥</b>	1 g	1 g		M H				<b>&gt;</b>		
Beastie Bloc	omz®						US			1 g	US	1 g			US		
Cha Ching®							급				FL		1 g	1 g	교	1 g	1 g

## \*SCHEDULE ADJUSTMENTS

**EXTEND VEGETATIVE CYCLE:** Repeat Week 4. **EXTEND FLOWERING CYCLE:** Repeat Week 12.

